



WELDFORCE

WF-160MST

MIG / Stick / TIG Welder

- Takes 1kg or 5kg spools
- Digital readouts
- 9kg compact, robust & liahtweight
- Generator compatible Min 7kva. Ideal 8kva
- 12 month warranty*



Part No.	Description
WF-06127	WF-160MST Standard Package

WELDFORCE

WF-180MST

MIG / Stick / TIG Welder

- Takes 1kg or 5kg spools
- · Digital readouts
- 9kg compact, robust & lightweight
- Robust drive system for reliable wire feeding
- Generator compatible Min 8kva, Ideal 10kva
- 2 year warranty*



WELDFORCE

WF-200MST

MIG / Stick / TIG Welder

- Digital readouts
- 13kg compact, robust & lightweight
- Inductance control
- For precise weld control
- Spool gun ready
- Generator friendly Min 8kva, Ideal 10kva
- Robust drive system for reliable wire feeding
- 2 year warranty

Part No.	Description
WF-06129	WF-200MST Standard Package

WELDFORCE

WF-205MST

MIG / Stick / TIG Welder

- Power Factor Correction Reduced power draw, increased Duty-cycle, ideal for long leads & generators
 Synergic* or Manual *Enter material type &
- ckness & machine will set parameters automatically
- 20+ Pre-set programs for different materials
- Takes 1kg or 5kg spools
- Spool gun ready
- Fan-On-Demand reduces dust intake
- Generator friendly Min 8kva, Ideal 10kva+

Part No Description WF-06166 WF-205MST Standard Package



WELDFORCE

WF-255MST

MIG / Stick / TIG Welder

- Power Factor Correction Reduced power draw, increased Duty-cycle, ideal for long leads & generators Synergic* or Manual *Enter material type & thickness & machine will set parameters automatically
- 20+ Pre-set programs for different materials
- Geared 4-roll wire drive system
- Takes 5kg or 15kg spools
- Spool gun ready
- Fan-On-Demand reduces dust intake

Part No.	Description	
WF-06167	WF-255MST Standard Package	

WELDFORCE

WF-135s

Stick Welder

- 3.8kg compact, robust & lightweight
- · Automatic Hot Start & Arc Force
- Generator friendly Min 7kva, Ideal 8kva
- 12 month warranty*



Part No.	Description	
WF-06169	WF-135S Standard Package	

WELDFORCE

WF-140st

Stick / TIG Welder

- 4kg compact, robust & lightweight
- LCD digital meter
- Adjustable Hot Start & Arc Force
- Optional VRD Supplied as standard with VRD not active. VRD can be activated by an authorised agent, distributor if required
- Generator friendly Min 7kva, Ideal 8kva+
- Stress-Tested To 440V & over-specified componentry for reliability
- 3 year warranty*

Part No.	Description
WF-06170	WF-140ST Standard Package

WELDFORCE

WF-180st

Stick / TIG Welder

- 4.5kg compact, robust & lightweight
- LCD Digital Meter
- Adjustable Hot Start & Arc Force
- Optional VRD Supplied as standard with VRD not active. VRD can be activated by an authorised agent, distributor if required
- Generator friendly Min 8kva, Ideal 10kva+
- Stress-Tested To 440V & Over-specified componentry for reliability
- 3 year warranty*









WELDFORCE

WF-201T

AC/DC Pulse TIG Welder

- 8kg compact, robust & lightweight
- LCD digital controls
- HF or lift arc ignition
- Pulse frequency & width controls
- AC square-wave & balance controls
- Slope Up/Down & Post/Pre gas controls
- Generator friendly Min 8kva, Ideal 10kva+
- Ontional foot control
- 3 year warranty*





CUTFORCE

CF-45p

Plasma Cutter

- 8kg compact, robust & lightweight
- High quality plasma torch with Furo connection
- Reliable pilot arc ignition
- Generator friendly Min 8kva, Ideal 10kva+
- Intelligent protection & warning system Prevents costly torch damage
- Perforated plate/expanded mesh cutting mode
- 3 vear warrantv*

Part No.	Description
WF-06171	WF-180ST Standard Package



Ultra-clear vision!

- Shade 9-13
- · Magnification lens holder
- 96 x 39mm viewing area with Ultra-Clear vision





WELDING HELMET PROMAX 200

Ultra-clear vision!

- Functions: Variable shade 9-13, sensitivity & delay adjustments, plus Grind-Mode switch (locks the lens in light shade)
- Ideal for MIG & Stick welding
- For light to medium fabrication & occasional welding

Part No.	Description
WC-05311	Slate



WELDING HELMET PROMAX 350

Upgrade to larger View!

- Larger than many other helmets in this class (100 x 53mm)
- 4 arc sensors for reliable arc detection & switching
- Ideal for MIG, Stick & TIG welding down to 30 amps
- High-Impact tested and rated to Australian Standard AS1337.1

Part No.	Description
WC-05313	Blue
WC-05314	Fire Metal



WELDING HELMET PROMAX 500

85cm² of Ultra-clear Vision!

- Super-Size viewing area: 98 x 87mm, with Ultra-Clear vision Dual shade range 5-8 / 9-13 plus grind mode
- 4 Arc Sensors for reliable

- 4 Arc Sensors for reliable arc detection & switching Ideal for MIG, Stick & TIG welding down to 5 amps For professional & Industrial Applications

Part No.	Description	
WC-05317	Black Stealth	
WC-05318	Weldwolf	



WELDING HELMET JACKSON WH70 GDS + AIRMAX

The Ultimate Professional Air Fed Helmet!

- Jackson WH70 with Balder Technology... "Worlds Best Vision"
- Tested & conforms to: AS1716 (respirator system), AS1337.1 High-Impact (helmet), AS1338.1 (lens)
- Dual airflow settings Simple control with only one button
- Automatic airflow control ensures constant flow rate regardless of the level of filter clogging or battery charge
- Highest rated TH3 blower pack
- Heavy duty Lithium battery up to 10 hrs run time

Part No.	Description
KC-J5225/K	Helmet WH70 GDS AIr + Airmax Elite Sytem







WELDING JACKET - FR PROMAX HV5

Great value, very cost-effective!

- Comfortable, lighter weight & cool
- Hi-vis orange
- 100% cotton specially treated for flame-resistance
- Flame retardant stitching
- · Pen pocket & internal pocket

Part No.	Size
WC-05261	М
WC-05262	L
WC-05263	XL
WC-05264	2XL



WELDING JACKET - FR PROMAX BLUE FLAME

No shortcuts, Great value!

- Lighter & cooler than leather
- 100% cotton specially treated for flame-resistance
- Flame retardant stitching
- Pen pocket & internal pocket
- Adjustable cuffs & waist straps

Part No.	Size
WC-01797	М
WC-01798	L
WC-01799	XL
WC-01800	2XL



WELDING JACKET - FR PROMAX BLUE WITH LEATHER SLEEVES

Quality you can feel!

- FR cotton with leather sleeves
- Crafted with attention to detail
- Double stitched with Kevlar, riveted stress points
- Pockets & pen holders

Part No.	Size
WC-04653	М
WC-04658	L
WC-04655	XL
WC-04656	2XL
WC-04657	3XL



WELDING JACKET - FR PROMAX HV2 HI-VIS

The Total Welding AND Safety Jacket!

- Hi-Visibility material for day/night use
- 100% Flame Resistant,
- Harness compatible: Rear opening/flap
- Leather dleeves for durability

Part No.	Size
WC-04762	M
WC-04763	L
WC-04764	XL
WC-04765	2XL
WC-04766	3XL
WC-04767	4XI



WELDING JACKET - LEATHER PROMAX BLUE

Top Quality Split Cowhide

- Adjustable cuffs and collar
- Front pocket
- Double stiched with Kevlar Heat-Resistant for protection during welding, cutting & grinding
- With pen pocket & front internal pocket

Part No.	Size
WC-01782	М
WC-01781	L
WC-01783	XL
WC-01784	2XL
WC-01785	3XL



WELDING GLOVES PROMAX BLUE

Quality you can feel!

- Crafted for super comfortable fit
- Premium cowhide, reinforced, sewn with Kevlar



WELDING GLOVES PROMAX BLUE XC

680mm for full Arm **Protection!**

- Crafted for super comfortable fit
- Premium cowhide, reinforced, sewn with Kevlar



TIG WELDING GLOVES PLATINUM TG-21

A Seriously Superior TIG Glove!

- Specially selected Leather, sewn with Kevlar
- Excellent desterity & comfort with good heat resistance
- · Crafted for maximum comfort









FR HOODS PROMAX

Good Coverage of Head & Neck!

- Lightweight and cool flame-resistant cotton
- Hook & Loop opening chin to chest for easier wear/removal
- · Sewn with Kevlar heat-resistant

Part No.	Description
WC-01795	Blue
WC-03772	Hi-Viz Orange



FR HOOD FOR WELDING HELMET PROMAX BLUE

Fits to any Helmet!

- Blocks out annoying sunlight & reflections from behind the helmet
- Protects head, neck and ears from spatter, debris, sun-burn, etc
- Fast and easy to fit to your welding helmet - Supplied with self-stick hook & loop

Part No.	Description
WC-05456	PROMAX Blue Helmet Hood



BLANKETS PROMAX LEATHER

- · Heavy Duty split cowhide leather
- Sewn with heat-resistant Kevlar thread, for resistance to seam failure
- With eyelets

Part No.

WC-01755 WC-03834



WIRE - GASLESS PLATINUM GL-11

Australia's No. 1 Gasless Wire!

- · Ultra-Smoth arc with minimal spatter
- Suitable for All-positional, single and multi-pass welds
- Vacuum foil-sealed spool, for exceptional storage life

Part No.	Size
2-098FM	0.8MM x 45KG
2-088FM	0.9MM x 4.5KG
2-128FM	1.2MM x 4.5KG
2-GWS1115/09	0.9MM x 15KG
2-GW/S1115/12	1 2MM x 15KG



WELDING CURTAIN KITS STANDARD 1.8 X 1.8M

Great Value!

- Coated steel frame
- Spring pin joints for fast assembly
- Includes castor wheels
- Supplied in flat pack kit form -Just snap together



Part No.

WC-03238K	Frame & Curtain Combo Kit 1.8 x 1.8m Red
WC-03239K	Frame & Curtain Combo Kit 1.8 x 1.8m Green

EARTH CLAMP PLATINUM EC500H

Fast & Easy to Fit!

- · Robust and durable
- One-piece cable terminal and jaw
- For all types of welders up to 500 Amps



Part No.	Description
P6-EC500H	500 Amp H/Duty (No Lug Required)

PAINT PENS

PRO-LINE HP - LOW CORROSION

Best Seller! Safe, Low-Corrosion & Highly Durable marks

- Unsurpassed writing on challenging surfaces: Oily, damp, rusty, coated & more
- Low-chloride / Low-corrosion formula = Safe for use on stainless steel, alloys and other special metals
- Highly visible, extremely durable permanent paint that dries guickly and resists wearing or fading
- Made in USA
- Marking temp range: -46c to 66c
- Industries: Metal fabrication, oil/gas, power/energy, shipbuilding, aerospace, nuclear
- Marks On: All metals, masonary, plastic, glass, ceramic, rubber & more
- 3mm medium bullet tip

Part No.	Color
6-M96960/12	White
6-M96961/12	Yellow
6-M96963/12	Black
6-M96962/12	Red
6-M96965/12	Blue
6-M96966/12	Green
6-M96830/12	Pink







ENGINEERS CHALK KITS DISPENSER

Seriously Snap-Resistant!

- Resists breakage & powdering consistently top quality
- Cost effective non-permenant marking
- Retractable action & pocket clip
- Metal design prevents chalk breakage

Part No.	Description
6-EC7510	75 x 10 x 10mm Square -50 pcs/box
6-EC755	75 x 10 x 5mm Split -100 pcs/box
6-EC125	125 x 12 x 5mm Split -144 pcs/box
P6-ECD	Dispenser - Suits 6-EC125 Chalk
	•

UNIVERSAL TIG TORCH

Save Time, Hassle & Money!

- All-In-One TIG Torch Multiple options in one package
- Torch Heads Includes: 17 series (150 amp) & 9 Series (100 amp), in both riaid & flexible
- Valved style heads for use with most standard inverter welders
- 2 Piece style cable Includes small & large cable connectors



MIG TORCHES

High quality European style and design

Designed for reliability, easy maintenance and reduced down-time

Robust design to withstand heavy duty use

Part No.	Size
WC-03610	BZL 15 4M
WC-03612	BZL 24 4M
WC-03615	BZL 25 4M
WC-03618	BZL 36 4M
3-MTT4E/15	TWC 4 4.6M
3-MTBN3E/15	BND 300 4.6M
3-MTBN4E/15	BND 400 4.6M

MIG TORCHES SPARES & MIG TIPS

Large Varieties Instore!

BZL styles

TWC styles





PIPE WRAP-A-ROUND JACKSON CONTOUR

- Inexpensive tool for marking straight lines around pipe, or for use as a straight edge
- Printed with scale, pitch chart, tangent chart and other useful markings
- Withstands service temperature of up to 180°c (350°F)



PIPE CENTERING HEADS JACKSON CONTOUR

- Aids in the settings of centerlines, establishing angles and marks for butt-ins, locating points inside pipes and tanks, laying out keyways and measuring declivity
- Used most often for finding top dead center or bottom dead center on pipe
- You can use it to find the location of other ordinate lines on the sides or at different angles.

Part No.	Туре
KC-J1879	12mm & Larger
KC-J1880	25mm & Larger



FLASHBACK ARRESTORS

Made in France

- Conform to AS4603-1999
- Individually flashback, flow & leak tested
- Certified to EN730
- · Thermal cut off valve

Part No. Type P4-FBASET Full Set P4-FBATF Torch/Fuel P4-FBARO2 REG/Fuel P4-FBARF2 REG/OXY		
P4-FBATF Torch/Fuel P4-FBATO Torch/OXY P4-FBARO2 REG/Fuel	Part No.	Type
	P4-FBATF P4-FBATO P4-FBARO2	Torch/Fuel Torch/OXY REG/Fuel



ախանակա

BLOWPIPE HANDLE CUTTING ATTACHMENT

Proven Quality, Robust Long-Life Design

Superior valve design with tension system to prevent accidental

Oxygen/LPG and







LPG BURNER/HEATING

No Oxygen Required!

- · Air/LPG operation requires LPG gas only
- More portable than Oxy/Fuel equipment & very economical to run
- Robust construction for industrial applications Dart No Sizo

Fait No.	3126
NC-02992K	500mm
NC-02993K	800mm



OXY KITS PLATINUM SERIES

- Heavy duty performance
- Platinum series

Part No.

4-OXACK 4-OXLPK



GAS REGULATORS







CUTTING TIPS T41 OXY/ACETYLENE & T44 OXY/LPG



- Proven quality, long-life design
- Standard shape Fits common roller/circle guides
- Fits to standard cutting attachment (P4-CA)



Part No.	Size
P4-T416	Size 6 (1-6mm)
P4-T418	Size 8 (6-10mm)
P4-T4112	Size 12 (10-20mm)
P4-T4115	Size 15 (20-75mm)
P4-T4120	Size 20 (75-125mm)
P4-T4124	Size 24 (125-200mm)
P4-T4132	Size 32 (200-275mm)

Part No.	Size
P4-T446	Size 6 (3-6mm)
P4-T448	Size 8 (6-12mm)
P4-T4412	Size 12 (12-20mm)
P4-T4415	Size 15 (20-75mm)
P4-T4420	Size 20 (75-125mm)
P4-T4424	Size 24 (125-200mm)
P4-T4432	Size 32 (200-275mm)

PLATE CUTTER TX-180

- Lightweight and portable
- Robust design
- Use with Oxy/Acetylene or Oxy/LPG
- Straight or bevel cutting of steel plate
- Uses common track design
- Heat deflector
- Adjustable speed
- Horizontal and vertical torch adjustment
- Forward and reverse

Part No. Description

TX-180 Plate Cutter Packagewith Single Torch & 1.8m Track 5-TX180/1K

CUP BRUSHES TWIST-KNOT TAIPAN

- Multi-thread design: Supplied with thread adaptors to fit any common grinder thread: M14x2, M10x1.5 & M10x1.25
- Professional Quality: Tempered steel wire, Smooth Action and Perfect Balance
- Coarse twist knot steel wire: Aggressive action, rRust & scale removal, surface preparation etc.
- Cup shape for flat surfaces, external corners & edges, etc

100		
-	Description	Part No.
	65mm Multi-Thread Mild-Steel	TO-3030
	75mm Multi-Thread Mild-Steel	TO-3032
	75mm Multi-Thread Stainless-Steel	TO-3620

CUP BRUSHES TWIST-KNOT W/SKIRT TAIPAN

- Removable skirt: After initial wear, remove the skirt to give a '2nd life'
- Professional quality: Tempered steel wire
- Coarse twist knot steel wire: Aggressive action, rust & scale removal, surface preparation, etc
- Cup shape for flat surfaces, external corners & edges, etc

Part No.	Description
TO-3040	075mm Multi-Thread Mild-Steel
TO-3042	100mm M14x2 Mild-Steel
TO-3628	100mm M14x2 Stainless-Steel
TO-3044	125mm M14x2 Mild-Steel
TO-3630	125mm M14x2 Stainless-Steel







PIPELINE WHEEL BRUSHES TAIPAN

- 40 knots per wheel for long brush life
- Professional quality: Tempered steel wire, smooth action and perfect balance
- Ideal for pipeline weld bead cleaning; including during root pass, inter-pass, hot pass operations, etc
- Coarse twist knot steel wire for fast removal of slag, spatter & oxidisation
- 22mm bore/arbor for use on 5", 7" or 9" angle grinders

Control of the Contro	
Description	Part No.
6mm Twist-Knot Mild-Steel	TO-3086
6mm Twist-Knot Stainless-Steel	TO-3670

BEVEL BRUSHES TWIST-KNOT TAIPAN

- Multi-thread design: Supplied with thread adaptors to fit any common grinder thread: M14x2, M10x1.5 & M10x1.25
- · Professional quality
- Coarse twist knot steel wire
- Bevel/angled/saucer shape for work in corners, contours, channels, Vs, etc



Part No.	Description
TO-3098	100mm (4") Multi-Thread Mild-Steel
TO-3610	100mm (4") Multi-Thread Stainless-Steel

HAND BRUSHES 1 ROW TAIPAIN

- Ergonomic & long-life design
- Single row curved style ideal for internal corners, channels, etc
- Crimped (wavy) wire for mild scrubbing action, light rust removal, deburring, etc



HAND BRUSHES 4 ROW WOODEN HANDLE TAIPAIN

- · Long handle for extended reach
- Great value
- Straight wire for heavy-duty action: rust & scale removal, de-slagging, etc
- 4-Row for flat surfaces, outside corners
- & edges, etc
- 355mm long, 72 tuft (18 x 4 rows)



Description
Mild-Steel
Stainless-Steel

SPINDLE MOUNT WHEEL BRUSHES TAIPAN

- Professional quality: Tempered steel wire, smooth action
- 6.4mm shaft/spindle
- 50mm & 75mm: Brass-coated crimped (wavy) wire for mild scrubbing action, light rust removal,
- deburring, etc
- 80mm: Twist-knot wire for coarse action, rust & scale removal, surface preparation, etc
- Wheel shape for narrow areas, corners, channels, internal curves, etc

Part No.	Description
TO-3070	50mm Crimped Brass-Coated Steel
TO-3072	75mm Crimped Brass-Coated Steel
TO-3074	80mm Twist-Knot Mild-Steel

